

ENLARGEMENT OF BRACING AREA
SHOWING 2X4'S VERTICAL (NOT FLAT)

2"x4" WOOD BATTENS
(3 MIN) 120" APART
WOOD BATTENS TO BE SECURED
W/ STEEL BANDING DO NOT
NAIL INTO TREE
MIN 3 LAYERS OF BURLAP

A 4" SAUCER TO BE FORMED
ALL AROUND PLANTING HOLE
SAUCER DIAMETER SHALL BE
TWICE THE DIAMETER OF ROOTBALL


FINISH GRADE

WOOD BATTENS TO BE BURIED
3" BELOW GRADE AND TIED

THE ROOTBALL SHALL BE PLACED
AT THE BOTTOM OF THE UNDISTURBED
SUBGRADE.

SOLID SOIL PEDESTAL

REFER TO TECHNICAL SPECIFICATIONS
FOR PLANTING SOIL REQUIREMENTS



LANDSCAPE STANDARDS

REVISIONS		URBAN FORESTRY		SINGLE TRUNK TREE GREATER THAN 4" CALIPER	
BY	DATE	CITY OF POMPANO BEACH		APPROVED BY:	DATE: APRIL 2010
TCW	APRIL 2010			URBAN FORESTER	DWG. NO. 102-1
		SCALE: N.T.S.			